

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name: Blasolube® 301**
(Universal grease)
- **Article number:** 00301-01
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the preparation:**
For industrial use only
Lubricant
Lubricating grease
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer / Supplier:**
BLASER SWISSLUBE AG
Winterseistrasse 22
CH-3415 Hasle-Rüegsau
Switzerland
Tel.: +41 (0)34 460 01 01
Fax: +41 (0)34 460 01 00
E-mail: blaser@blaser.com
- **Further information obtainable from:**
Product Safety Department
E-mail: sds@blaser.com
- **1.4 Emergency telephone number:**
Toxicological information Switzerland:
24-h-Emergency number: 145 (from abroad: +41 44 251 51 51)
Information: +41 44 251 66 66
For advice on chemical emergencies, spillages, fires or exposures: +44 1235 239670 (24h/7d)

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture:**
- **Classification according to Regulation (EC) No 1272/2008**
Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.
- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements**
H412 Harmful to aquatic life with long lasting effects.
- **Precautionary statements**
P273 Avoid release to the environment.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- **Additional information:**
EUH208 Contains N-1-naphtylaniline. May produce an allergic reaction.
- **2.3 Other hazards** None
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- **3.2 Mixtures**
- **Description:**
Mixture of substances listed below with nonhazardous additions.

Trade name: Blasolube® 301
(Universal grease)

(Contd. of page 1)

Mineral oil containing lubricating grease with bentonite as thickener.

· **Declarable, or hazardous components:**
CAS-no.

CAS: 90-30-2 EINECS: 201-983-0 Reg.nr.: 01-2119488764-27-0000	N-1-naphtylaniline STOT RE 2, H373; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Acute Tox. 4, H302; Skin Sens. 1, H317	<0.5%
CAS: 7632-00-0 EINECS: 231-555-9 Reg.nr.: 01-2119471836-27-0000	sodium nitrite Ox. Sol. 3, H272; Acute Tox. 3, H301; Aquatic Acute 1, H400	<0.5%
CAS: 95-38-5 EINECS: 202-414-9 Reg.nr.: 01-2119777867-13-0000	Imidazoline - derivative STOT RE 2, H373; Skin Corr. 1C, H314; Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=1); Acute Tox. 4, H302	<0.25%

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **After inhalation:** Not applicable, as the concentrate is not volatile.
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:** CO₂, powder or water spray. Fight larger fires with water spray.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.
- **5.3 Advice for firefighters**
- **Protective equipment:** No special measures required.
- **Additional information** Cool endangered receptacles with water spray.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Not required.
- **6.2 Environmental precautions:**
Do not allow product to reach sewage system or any water course.
Inform respective authorities in case of seepage into water course or sewage system.
Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**
Dispose contaminated material as waste according to item 13.
- **6.4 Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.

(Contd. on page 3)

Trade name: Blasolube® 301
(Universal grease)

(Contd. of page 2)

- Observe the general safety regulations when handling chemicals.
- **Information about fire - and explosion protection:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store only in the original receptacle.
- **Information about storage in one common storage facility:**
Do not store together with oxidising and acidic materials.
Store away from oxidising agents.
- **Further information about storage conditions:**
Protect from heat and direct sunlight.
Optimal storage temperature between 0°C and 40°C.
Duration of storage: In original container, at least 3 years.
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.
- **8.1 Control parameters**
- **Ingredients with limit values at the workplace:**
TLV value (oil mist) CH: 5 mg/m³

90-30-2 N-1-naphtylaniline

MAK (Germany) | vgl. Abschn. IIb und Xc

- **Additional information:** The lists valid during the making were used as basis.
- **8.2 Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:** Wash hands before breaks and at the end of work.
- **Respiratory protection:** Not required.
- **Protection of hands:**
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves**
The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the resultant standard EN 374.
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.
The break through, among others, depending on material density and the type of glove and therefore must be determined in each individual case.
Gloves must be inspected prior to use. Replace when worn!
Impervious gloves: nitrile rubber, minimum thickness of 0.3 mm.
- **Penetration time of glove material**
The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Eye protector with side protection (framed eyeglasses) EN 166.
- **Body protection:** Protective work clothing

SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**
Form: Pasty

(Contd. on page 4)

Safety Data Sheet

according to 1907/2006/EC, Article 31 and 830/2015/EC

Printing date 24.07.2018

Version number 9

Revision: 24.07.2018

Trade name: Blasolube® 301
(Universal grease)

(Contd. of page 3)

Colour:	Light brown
Odour:	Mineral-oil-like
Odour threshold:	Not determined.
pH-value:	Not applicable.
Change in condition:	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range:	>300 °C (DIN 51751 / ASTM D86)
Drip point:	not determined or not disposable
Pour point:	Not applicable
Flash point:	>200 °C (ISO 2592 / ASTM D92)
Flammability (solid, gas):	Not applicable.
Ignition temperature:	>350 °C (DIN 51794 / ASTM E659)
Decomposition temperature:	>350 °C
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Explosion limits (@1013 mbar):	general values for mineral oil, therefore not product specific
Lower:	0.6 Vol %
Upper:	6.5 Vol %
Oxidising properties	Not applicable.
Density at 20 °C:	0.93 g/cm ³ (DIN 51757 / ASTM D1217)
Vapour density	Not applicable.
Evaporation rate	Not applicable.
Solubility in / Miscibility with water:	Insoluble.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
Penetration	265-295 mm/10 @ 25°C. (ISO 2137 / ASTM D217) NLGI class: 2
VOC (CH):	0.00 %
9.2 Other information:	safety relevant data, which has to be considered as product specifications.

SECTION 10: Stability and reactivity

- **10.1 Reactivity** None known if used as directed.
- **10.2 Chemical stability** Stable under recommended storage conditions.
- **10.3 Possibility of hazardous reactions**
Reacts with strong acids and oxidising agents.
Reacts with strong oxidising agents.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** Carbon monoxide and carbon dioxide

EU
(Contd. on page 5)

Trade name: Blasolube® 301
(Universal grease)

(Contd. of page 4)

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.

- **LD/LC50 values relevant for classification:**

ATE (Acute Toxicity Estimates)

Oral	LD50	29,310 mg/kg (rat)
------	------	--------------------

90-30-2 N-1-naphtylaniline

Oral	LD50	1,625 mg/kg (rat)
Dermal	LD50	>5,000 mg/kg (rabbit)

7632-00-0 sodium nitrite

Oral	LD50	85 mg/kg (rat)
------	------	----------------

95-38-5 Imidazoline - derivative

Oral	LD50	1,265 mg/kg (rat) (OECD 401)
Dermal	LD50	>2,000 mg/kg (rabbit) (OECD 404) not tested; Bridging method applied

- **Primary irritant effect:**
- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- **12.1 Toxicity**

- **Aquatic toxicity:**

90-30-2 N-1-naphtylaniline

NOEC/21d	0.025 mg/l (Daphnia magna)
EC50/96h	>10,000 mg/L (Bel) (OECD 209)
	0.44 mg/L (Oncorhynchus mykiss) (OECD 203)
EC50/48h	0.32 mg/L (Daphnia magna) (OECD 202)
EC50/72h	0.25 mg/L (Algae) (OECD 201)

95-38-5 Imidazoline - derivative

EC50/96h	0.3 mg/L (Brachydanio rerio) (OECD 203)
EC50/48h	0.136 mg/L (Daphnia magna) (OECD 202)
EC50/72h	0.03 mg/L (Algae) (OECD 201)

- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.

- **Ecotoxicological effects:**

- **Remark:** Harmful to fish

- **Additional ecological information:**

- **General notes:**

Harmful to aquatic organisms

Do not allow product to reach ground water, water course or sewage system.

(Contd. on page 6)

Trade name: Blasolube® 301
(Universal grease)

(Contd. of page 5)

- Danger to drinking water if even small quantities leak into the ground.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
 - **Recommendation**
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
 - **European waste catalogue**
- | | |
|-----------|----------------------|
| 12 01 12* | spent waxes and fats |
|-----------|----------------------|
- **Uncleaned packaging:**
 - **Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport information

- | | |
|---|---|
| · 14.1 UN-Number
· ADR, ADN, IMDG, IATA | Not regulated |
| · 14.2 UN proper shipping name
· ADR
· ADN, IMDG, IATA | Not regulated
Not regulated |
| · 14.3 Transport hazard class(es)
· ADR, ADN, IMDG, IATA
· Class | Not regulated |
| · 14.4 Packing group
· ADR, IMDG, IATA | Not regulated |
| · 14.5 Environmental hazards:
· Marine pollutant: | No |
| · 14.6 Special precautions for user | Not applicable. |
| · 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code | Not applicable. |
| · Transport/Additional information: | Not dangerous according to the above specifications. |
| · IATA | IATA Dangerous Goods Regulation (DGR): latest edition |
| · UN "Model Regulation": | Not regulated |

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
 - **Labelling according to Regulation (EC) No 1272/2008:** CLP/GHS label elements are issued under section 2.
 - **Directive 2012/18/EU**
 - **Named dangerous substances - ANNEX I** None of the ingredients are listed.
- | |
|--|
| · LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV) |
| None of the ingredients are listed. |

(Contd. on page 7)

Trade name: Blasolube® 301
(Universal grease)

(Contd. of page 6)

• **National regulations:**

The product is subject to be labeled according with the prevailing version of the regulations on hazardous substances. no further regulations.

• **CPID-no. (CH):** 131399-12

• **Waterhazard class:** Water hazard class 2 (Self-assessment): hazardous for water.

• **Other regulations, limitations and prohibitive regulations**

• **Substances of very high concern (SVHC) according to REACH, Article 57**

This preparation does not contain any SVHC ("Substances of Very High Concern")

• **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• **Regulations / approvals / listings:**

Information on REACH registration numbers in section 3:

If no REACH registration numbers on substances in section 3 are mentioned, then they are exempt from the REACH registration requirements (e.g. polymers).

• **RoHS:**

The product is compliant with European Directives 2015/863/EC, 2011/65/EC, 2002/95/EC, WEEE 2002/96/EC, 2003/11/EC, 2005/53/EC and RoHS.

The following substances ARE NOT contained:

Pentabromodiphenylether, Octabromodiphenylether, polybrominated diphenylether (PDBE) and / or polybrominated biphenyls (PBB), Bis(2-ethylhexyl)phthalate (DEHP), Benzylbutylphthalate (BBP), Dibutylphthalate (DBP), Diisobutylphthalate (DIBP);

lead or it's compounds, cadmium or it's compounds, mercury or it's compounds, chromium Cr⁶⁺-compounds.

• **IP346:**

The contained refined mineral oils are exempt of labelling.

The content of polycyclic aromatic hydrocarbons (PCA) according to IP346 is < 3% (DMSO-extract).

• **TSE/BSE:**

This product adheres to the standards of TSE/BSE-free products, according to European Community directives 93/42/EEC and 2003/32/EC.

Materials and/or synthetically modified materials which are of animal origin from bovine, ovine, goats, cats, dogs, deer, elk and/or mink, are NOT included in this product.

This product is entirely free from latex containing materials.

• **Department issuing SDS:** Product Stewardship

• **Contact:** Mrs. Wilson + Mr. Frei

• **Editor's notice:**

The above mentioned data correspond to our present state of knowledge and experience. The safety data sheet serves as description of the products in regard to necessary safety measures. The indications have not the meaning of guarantees on properties.

• **Abbreviations and acronyms:**

ICAO: International Civil Aviation Organisation

RoHS: Restriction of Hazardous Substances

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

(Contd. on page 8)

Safety Data Sheet
according to 1907/2006/EC, Article 31 and 830/2015/EC

Printing date 24.07.2018

Version number 9

Revision: 24.07.2018

Trade name: Blasolube® 301
(Universal grease)

(Contd. of page 7)

VOC: Volatile Organic Compounds (USA, EU)
ISO: International Organisation for Standardisation
DNEL: Derived No-Effect Level (REACH)
PNEC: Predicted No-Effect Concentration (REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
ATE: Acute Toxicity Estimate
Ox. Sol. 3: Oxidizing solids – Category 3
Acute Tox. 3: Acute toxicity – Category 3
Acute Tox. 4: Acute toxicity – Category 4
Skin Corr. 1C: Skin corrosion/irritation – Category 1C
Skin Sens. 1: Skin sensitisation – Category 1
STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

· *** Data compared to the previous version altered.**

The asterisk (*) on the left side indicate the respective changes from the previous version.